SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.

SGI Workstations (96 Total):

W20-575	(25)	4-035†	(20)
2-225	(13)	1-142	(10)
66-080	(10)	Rotch Library	(8)
37-312	(4)	11-113	(3)
11-116	(3)		

† = reservable, but otherwise public

More SGI machines are currently being installed in 10-250 and 3-133. The public combination is currently `25048*`, but it will change in October. The command `cview` should give a list of machines in public clusters and how many are available at the moment.