
# Medical Data, Standard Vocabularies, Communication Standards

6.872/HST950

Peter Szolovits (with some material from Chris Cimino)

## Recall Children's Clinicians' Workstation Database

- Demographics
- Problems
- Allergies
- Medications
  - Immunizations
- Lab Data
- Clinical Measurements
- Growth Charts
- Visit History
- · Reports and Letters



## Vocabularies and Terminology

- Why?
  - Surrogate for "messy reality"
  - Uses
- · How?
  - Flat list
  - Taxonomy (Hierarchy, Nosology, ...)
  - Heterarchy
  - Combinatorial Language
    - Derivation rules
    - Inference
    - ... knowledge representation

## "Ontology" for Computer Folks

- An organization of concepts (hierarchy or heterarchy)
- (Some) concepts are defined in terms of others
  - A triangle is a polygon with exactly 3 sides
  - A dachshund is a dog (with ???)
- · Automatic classification
  - If P is a 3-sided polygon with ..., it is recognized automatically as a triangle

#### **Definitions**

- Word a set of characters including punctuation delimited by white space.
- Term one or more words used as a unit.
- Concept an idea, action, or thing.
- Synonym two terms for the same concept.

## Vocabulary Uses

- · Indexing Finding what you want
- Cataloging Putting away what you have – E.g., WHO, DRGs
- Knowledge Representation
  - Representing the facts
  - Blurring the facts
  - Creating new shades of meaning

## Describe a term for a Laboratory Test.

- Where was it done?
- · How was it done?
- · Under what conditions was it done?
- How many minutes after eating carbohydrate was it measured?

## Describe a Vocabulary for a Gene

- Whose gene?
- · Gene fragment?
- Open Reading Frame?
- Promoter + all exons and introns
- Promoter + all exons + all introns + other binding sites affecting function?
- Final/draft/species/SNP/Alternative splicing?

## Knowledge vs. Language

- Get two or more people to enumerate terms to describe the same set.
  - Do any terms match exactly?
  - Do terms differ by word order?
  - Do terms differ by word suffix or prefix?
  - Are there terms that some people think are synonyms that other people think are not?

## History of 3 Vocabularies

- MeSH Index
- ICD Precoodinated
- SNOMED Post-coordinated

## History

- The modern history of medical controlled vocabularies begins with the U.S. Army General Surgeon who petitioned Congress to fund a medical library. (~Civil War)
- The position eventually became "The US Surgeon General" and the library the National Library of Medicine
  - http://www.nlm.nih.gov/

## History

- Library collection was indexed with Index Medicus (created by NLM) which is published in book form.
- Index Medicus was extended to index medical literature articles.
- Index Medicus was extended further to provide on-line indexing (1960). This became the Medical Subject Headings (MeSH).

#### MeSH

- Purpose is to index the medical literature.
- Content of MeSH is driven by publications.
- Who "owns" MeSH?
- What impact do vocabulary changes have?

#### MeSH - Structure

http://www.nlm.nih.gov/mesh/

- MeSH is organized into a series of "trees". (e.g. physical findings, diseases, chemicals)
- A MeSH main heading is a "concept".
   (e.g. "Neurologic Disease", "Epilepsy")
- Main Heading (MH) is often called a term. (Try to avoid doing this.)

#### MeSH - Structure


- Each MH has a unique identifier.
- Each MH may have multiple synonyms.
- Each MH may have multiple locations in multiple trees. Each of these "contexts" has a unique tree address. The concept of "context" is synonymous with "multiple inheritance".

#### MeSH - Structure

- There is a small set of subheadings (50) that "modify" MH based on tree address.
   (e.g. "diagnosis" applies to MH in the "Disease" tree but not to the "Chemical" tree).
- There is a small set of tag terms (15) which exist unrelated to the rest of MeSH. (e.g., "Review Article", "Human", "Animal")

### MeSH - Structure

- Every article is indexed with tag terms.
- Every article is indexed with MH terms for focus (main index term) and mention (minor index term).
- Every index term is checked for subheadings.
- This is all done by trained reviewers.
- The MeSH Vocabulary is revised annually.



## International Classification of Disease (ICD)

- Any agency that dispenses funds for health care needs a way to assess needs and effectiveness.
- The United Nations World Health Organization (WHO) funds health care prevention projects world wide and gathers statistics for member nations.
- Who "owns" ICD?
- What impact will changes have?

#### ICD - Structure

- ICD is divided into categories based on a 5-digit numeric code. (e.g., "133.21")
- Usually round numbers are more general concepts (e.g., "100" subsumes "130" which subsumes "133")
- The fourth and fifth digit is called a modifier but it isn't really.

### ICD - Structure

- The code is both the concept and the unique identifier. Multiple terms are linked to the same code.
- Every patient is coded with as many terms as possible.
- Terms should be the most specific one to describe a particular problem.

#### ICD - Structure

- Coding scheme limits the size of the vocabulary.
- · Obsolete codes must be reused.
- Base ten results in limited flexibility and the need for "other", "NOS", and "NOC" terms.

## ICD - Structure

- Lack of multiple contexts or multiple inheritance results in duplicate terms.
- Lack of overall organization results in ambiguous terms.

#### ICD - Structure

- ICD has been adopted by most insurance companies as a method for controlling billing and payment.
- Economic forces drive how the vocabulary is used which drives how ICD is modified which drives changes in reimbursement which drives how the vocabulary is used...
- Who "owns" ICD?
- · The Vocabulary is revised sporadically.

#### SNOMED - Structure

- · Developed by the American College of Pathologists to overcome the faults of ICD.
- Really describes 6 [now 12] different vocabularies, one for each "axis" of a concept (e.g., anatomy, environment, history).
- Every concept is built up from a term from each "axis" (e.g., "surgery of" "blue" "nevus" "of left" "forearm").

#### SNOMED - Structure


- · There is some overlap of the axes so it is possible to form two different versions for the same concept (e.g., "blue nevus" "nevus colored blue").
- There are few rules for how to combine axes terms so it is possible to form valid nonsense terms (e.g., "nevus" "of left" "esophagus").
- Who "owns" SNOMED?

#### **SNOMED Axes**

- D Diseases
- M Morphology
- C Drugs
- J Occupations
- F Function
- A Physical Agents
- L Living Organisms P Procedures
- X Manufacturers
- S Social Context
- G Modifiers
- T -- Topography

## "Postcoordination"

- D5-46210 Acute Appendicitis
- G-A231 Acute, D5-46100 Appendicitis
- G-A231 Acute, M-40000 Inflammation, T-59200 Appendix
- M-41000 Acute Inflammation, T-59200 **Appendix**
- T-59200 Appendix, M-41000 Acute Inflammation



## SNOMED-CT (Clinical Terminology)

- Combined SNOMED + Reed Codes
  - SNOMED for diseases
  - Reed for symptoms
- Licensed by NLM for anyone to use royalty-free for 5 years starting 2004.
  - Attempt to encourage standardization

### History

- For everyone who wants to "own" a medical vocabulary, there is a set of terms which are likely to overlap but be inconsistent with every other vocabulary.
- Read, CPT, COSTART, ChemAbstracts, ...
- In theory they are all describing agreed upon concepts. A single standard vocabulary would improve the automated flow of medical information.

## Ideal Vocabulary

9

## Ideal Vocabulary

- Boundary
- Organization
- Completeness
- · Absence of ambiguity
- Growth
- Aging

## Ideal Vocabulary - Definitions

- String a unique sequence of characters. The same set of characters may represent different concepts.
- Lexical variants synonyms with "minor" differences. Word order, capitalization, and punctuation are usually included. Suffixes (plural) and prefixes may be included.
- One man's lexical variant is another's synonym.

## Ideal Vocabulary - Definitions

- Related terms distinct terms whose concepts overlap in some way. The most used relations are "broader" and "narrower" (e.g., "Neurologic Disease" includes but is broader than "Epilepsy".)
- One man's related term is another's synonym.

## Ideal Vocabulary – Definitions

- · Controlled versus "free" text
  - Freedom of expression
  - Automatic indexing accuracy
- Atomic versus enumerated (Pre vs Post)
  - Handle the unexpected
  - Predict what to expect
- Definitions
  - "Free" text versus semantic

## Unified Medical Language

- The Unified Medical Language System (UMLS) started as an NLM collaborative program with 7 centers around the country.
- Proceeded in 3 3 year phases.
  - Explore ideas (1986)
  - One "winner" selected and developed (1988)
  - Usage Testing (1991)

#### UMLS - Structure

- Three components
  - Metathesaurus (META)
  - Semantic Network
  - Information Sources Map (ISM)
    - · Recently dropped
  - Specialist Lexicon
    - · Recently added

## META - Structure

- NOT a controlled vocabulary.
- Database of information about other controlled vocabularies.
- Contains sufficient info to recreate most of the component vocabularies. (Who "owns" META? Who "owns" the components?)
- Basic unit is the concept. A concept is linked to multiple strings from multiple vocabularies.

#### META - Structure

- Each concept-string pair is either a preferred term, synonym, or lexical variant.
- The same string may be linked to multiple concepts but a term, synonym, or lexical variant will only link to one concept each.
- Other links exist based solely on the existence of those links in a source vocabulary.

#### META - Structure

- Each concept has only one preferred term chosen from all linked terms based on order of precedence of source vocabularies. With a few exceptions, MeSH is number one.
- Each concept is linked to semantic types in the semantic network.
- NOT a controlled vocabulary or is it?

#### Semantic Network – Structure

- · Small vocabulary that attempts to implement an ideal vocabulary
- · Terms defined with free text definitions and by linkage.

#### **UMLS Semantic Network**

"T001" "Organism" "A1.1"

"Generally, a living individual, including all plants and animals."

"Homozygote; Radiation Chimera; Sporocyst

"T002" "Plant" "A1.1.1"

"An organism having cellulose cell walls, growing by synthesis of inorganic substances, generally distinguished by the presence of chlorophyll, and lacking the power of locomotion. Plant parts are included here as well."

"Pollen; Potatoes; Vegetables"

"T003" "Alga" "A1.1.1.1"

"A chiefly aquatic plant that contains chlorophyll, but does not form embryos during development and lacks vascular tissue."

"Chlorella; Laminaria; Seaweed"

.. 188 terms

#### UMLS Sem Net: Relations

H: isa R: associated\_with R3.1: affects R1: physically\_related\_to R3.1.1: manages R3.7: indicates R3.8: result\_of R4: temporally\_related\_to R1.1: part of R3.1.2: treats R1.2: consists\_of R1.3: contains R3.1.3: disrupts R4.1: co-occurs\_with R3.1.4: complicates R4.2: precedes R1.4: connected\_to R3.1.5: interacts\_with R5: conceptually\_related\_to R1.5: interconnects R3.1.6: prevents R5.1: evaluation of R1.6: branch\_of R5.10: method\_of R5.11: conceptual\_part\_of R3.2: brings\_about R1.7: tributary of R3.2.1: produces R1.8: ingredient\_of R5.12: issue in R3.2.2: causes R2: spatially related to R5.2: degree\_of R3.3: performs R2.1: location\_of R5.3: analyzes R5.3.1: assesses\_effect\_of R5.4: measurement\_of R5.5: measures R2.2: adjacent to R3.3.1: carries out R3.3.2: exhibits R2.3: surrounds R2.4: traverses R3.3.3: practices R5.6: diagnoses R3.4: occurs in R5.7: property\_of R5.8: derivative\_of R3.4.1: process\_of R5.9: developmental\_form\_of

### Definition of relations

("RL" "T134" contains" "R1.3"

\*Holds or is the receptacle for fluids or other substances. This includes is filled with, holds, and is occupied by.

\*\*" "CT" Contained\_in")

("RL" "T135" location\_of" "R2.1"

"The position, site, or region of an entity or the site of a process." \*\*"

\*"LO" has\_location')

("RL" "T136" temporally\_related\_to" "R4"


\*Related in time by preceding, co-occurring with, or following." \*\*" "TR"

\*temporally\_related\_to" ("RL" "T136" "co-occurs\_with" "R4.1"

\*"Cocurs at the same time as, together with, or jointly. This includes is co-incident with, is concurrent with, is contemporaneous with, accompanies, coexists with, and is concomitant with."

\*" "CW" "co-occurs\_with")

### Semantic Network Treated Brain Phenytoin Effect with Organ Epilepsy Associated with Head Trauma Disease



#### State of the Art

- UMLS is not sufficient.
  - META is not complete. Still weak for clinical terms (sign and symptom terms).
  - META has superficial organization. Links between vocabularies is based primarily on lexical matches. Inter-vocabulary links growing slower than total size.
  - Ambiguous sources mean META is ambiguous.

#### State of the Art

- · Semantic typing does scale up so META and the semantic network can form a starting point.
- Semantic rules are being added to SNOMED which may remove its ambiguity problem. This would greatly strengthen SNOMED and META.
- Who "owns" the rules?

#### State of the Art

- Semantic tools are being developed to provide end user management of vocabularies. The same tools would allow users to add (or nominate) new terms and help the user understand the semantic definition of existing
- · Links back to META allow institutions to "own" a vocabulary while complying with other organizations' requirements.

## Representation Languages

- Capabilities
  - Naming: intensional as well as extensional
    - E.g., "people who provide me healthcare"
  - Definitions
  - Assertions
- Examples
  - K-Rep
  - GALEN and GRAIL
  - -(?) E31 of ANSI

## Communication Standards

- HL7, DICOM, CorbaMED, XML-based ...
- HL7:
  - Messages (unit of transfer, type="purpose")
    - Segments (e.g., header, event-type, pat. id, ...)
       Fields (character string)
- HL7 Details
  - Optional and repeated fields
  - Character encoding:
    - <cr> Segment separator
    - Field separator Component separator
    - Subcomponent separator
    - Repetition separator

## **HL7 Examples**

• AD – Address

 $\begin{array}{ll} \text{Components: } <& \text{street address (ST)> } ^{<} <& \text{other designation (ST)> } ^{<} <& \text{city (ST)> } ^{<} <& \text{state or province (ST)> } ^{<} <& \text{country (ID)> } ^{<} \\ \end{array}$ <address type (ID)> ^ <other geographic designation (ST)> |10 ASH LN^#3^LIMA^OH^48132-|

• CE - Coded Element

Components: <identifier (ST)> ^ <text (ST)> ^ <name of coding system (ST)> ^ <alternate identifier (ST)> ^ <alternate text (ST)> ^ <name of alternate coding system (ST)>

|F-11380^CREATININE^I9^2148-5^CREATININE^LN|

## HL7 (3.0) Reference Implementation Model

- Attempt at complete specification of health-care related communications (and, by derivation, records)
- http://www.hl7.org/

#### What to do with "Free Text"?

- "Free" is very expensive
  - But, it's what we have
- · Approaches:
  - Eliminate it: pick lists, formal vocabularies, ...
  - Deal with it: huge thesauri, ... full language understanding

## 1. Treat text as a combination of terms

- "The patient reported a severe left upper quadrant abdominal pain."
  - Try to look up *all* substrings
    - Normalize strings: e.g., "a severe left upper quadrant abdominal pain"→"abdomen left pain quadrant severe upper"
  - Find best "cover" of entire sentence
    - Al search problem, assuming some metric
  - Hope that combination of concepts is meaningful

## 2. Parse text according to rules of English grammar

"The patient reported upper abdominal pain":



Grammar guides semantic composition of meaning

## Semantic relations in NN terms

Family doctor: subtypeBile secretion: activity

• Haptoglobin gene: production

· Asthma therapy: purpose

· Aids patient: person afflicted

· Blood analysis: study instrument

· Food allergy: cause

• ... [Rosario & Hearst]