#### **Metastable Rimless Wheels**

#### Russ Tedrake and Katie Byl MIT Computer Science and Artificial Intelligence Lab

May 27, 2008





3

Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

## **Goals for today**



Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへで

# **Goals for today**

- Argue that stochastic analysis may be central to walking
- Oemonstrate that the stochastic dynamics are elegant and informative

◆□ ▶ ◆□ ▶ ◆ □ ▶ ◆ □ ▶ ◆ □ ▶ ◆ □ ▶ ◆ □ ▶

# **Goals for today**

- Argue that stochastic analysis may be central to walking
- Oemonstrate that the stochastic dynamics are elegant and informative
- Show some standard machinery which you can use today

- The dynamic walking community has done a good job (relatively) of providing stability analysis
  - Eigenvalue analysis on the Poincaré map
  - Basins of attraction

SOA

- The dynamic walking community has done a good job (relatively) of providing stability analysis
  - Eigenvalue analysis on the Poincaré map
  - Basins of attraction
  - ... at least for the simple models

- The dynamic walking community has done a good job (relatively) of providing stability analysis
  - Eigenvalue analysis on the Poincaré map
  - Basins of attraction
  - ... at least for the simple models
  - Almost no results for real machines

- The dynamic walking community has done a good job (relatively) of providing stability analysis
  - Eigenvalue analysis on the Poincaré map
  - Basins of attraction
  - ... at least for the simple models
  - Almost no results for real machines
  - Gait sensitivity norm

SOA

- The dynamic walking community has done a good job (relatively) of providing stability analysis
  - Eigenvalue analysis on the Poincaré map
  - Basins of attraction
  - ... at least for the simple models
  - Almost no results for real machines
  - Gait sensitivity norm
- Compare this w/ the ZMP walkers
  - Also have stability analysis, but based on local analysis (trajectory tracking stability implies limit cycle stability)
  - What's the basin of attraction for ASIMO, HRP-2?

~ ~ ~ ~

## Disturbance models for gait stability

- All of these analyses are based on the classical (robotic arm?) idea that disturbances are rare
  - $\bullet \ \Rightarrow$  Sufficient to analyze response to initial conditions in the deterministic case
  - Is this a reasonable assumption for dynamic walkers?

## Disturbance models for gait stability

- All of these analyses are based on the classical (robotic arm?) idea that disturbances are rare
  - $\bullet \ \Rightarrow$  Sufficient to analyze response to initial conditions in the deterministic case
  - Is this a reasonable assumption for dynamic walkers?
  - For some disturbances, yes for others, no!





< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Metastable Rimless Wheels

# Disturbance models for gait stability

- All of these analyses are based on the classical (robotic arm?) idea that disturbances are rare
  - $\bullet \ \Rightarrow$  Sufficient to analyze response to initial conditions in the deterministic case
  - Is this a reasonable assumption for dynamic walkers?
  - For some disturbances, yes for others, no!





< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

 If disturbances happen once per step, then the rate of deterministic convergence must be compared to the (stochastic) dynamics of disturbances.

# Dynamic walking on rough terrain

- Start with simple models
  - Rimless wheel
  - Compass gait
- Quantify the stability of passive walking on statistically rough terrain
- Design controllers which maximize rough terrain performance
  - Blind walking on unknown terrain
  - Controlled walking on known terrain



Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

# All terrain is rough terrain



- Especially for almost passive walkers
- We all know this
  - rarely see plots of the "nominal" trajectory on DW robots.
  - rarely see anything like honest Poincare analysis.
- You should care if
  - e.g., you want to make Flame walk on the bricks outside the restaurant sunday night

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

# The rimless wheel



[McGeer, 1990]

Assumptions:

- Massless spokes
- Stance "foot" does not slip
- Collision is impulsive and inelastic
- Instantaneous transfer of support (no double support)

Resulting Dynamics:

• Conservative simple pendulum during stance

- 4 同 2 4 日 2 4 日 2

• Dissipative impact defines switching surface

# **Rimless wheel - deterministic stability analysis**

• Closed form solution for:  $\dot{\theta}_{n+1} = P(\dot{\theta}_n, \gamma)$ .



- Original analysis by [Coleman and Ruina, 2002]
- Proof of global convergence (except for a set of measure zero) [Tedrake, 2004]

Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

# Rough terrain analysis

- Poincaré map dynamics, except now the ramp angle is drawn from a distribution
- Assuming only forward motion (for notational simplicity)
  - permits the form

$$\dot{\theta}_{n+1} = P(\dot{\theta}_n, \gamma_n), \quad \gamma_n \sim N(\gamma_0, \sigma^2).$$

- permits analysis of apex return map (failure to reach apex = absorbing fall down event)
- Question how does  $\dot{\theta}_n$  evolve over time?

# Metastability

- Answer:
  - No stable limit cycle by our classical definitions
  - For Gaussian noise, always ends up "falling" w/ prob 1 as  $t \to \infty$
  - Misleading to say its simply unstable
- Brownian motion cartoon:



Metastable Rimless Wheels

### The Poincaré master equation

- Any one trajectory is difficult to characterize
- The distribution of trajectories has elegant and stable dynamics
- State distribution:  $Pr(\dot{\theta}_n = \omega)$
- Distribution dynamics:

$$Pr(\dot{\theta}_{n+1} = \omega') = \int_{\omega} Pr(\dot{\theta}_{n+1} = \omega' | \dot{\theta}_n = \omega) Pr(\dot{\theta}_n = \omega) d\omega$$

 These are the dynamics of a function over state (called the master equation)

#### **Rimless wheel - stochastic return map**



matlab sim

Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

## **Numerical Methods**

- Discretize state (into finite Markov Chain)
- Interpolate dynamics
- State distribution is a vector:  $Pr(\dot{\theta}_n = \omega_i)$
- Distribution dynamics:

$$Pr(\dot{\theta}_{n+1} = \omega_j) = \sum_i Pr(\dot{\theta}_{n+1} = \omega_j | \dot{\theta}_n = \omega_i) Pr(\dot{\theta}_n = \omega_i)$$
$$p_j = \sum_i T_{ij} p_i, \quad \vec{p} = \vec{p} \mathbf{T}$$

- Falling (not returning to map) modeled as single absorbing state
- Eigenanalysis of transition matrix, **T**, tells us everything about the long-term dynamics

## Markov chain analysis

- Transition matrix eigenvalue analysis (λ<sub>1</sub> > λ<sub>2</sub> > ...λ<sub>n</sub>) with corresponding eigenvectors v<sub>i</sub>:
  - Define characteristic time constant  $\tau_i = -\frac{1}{\log(\lambda_i)} \approx \frac{1}{1-\lambda_i}$
  - $\lambda_1 = 1$ , **v**<sub>1</sub> corresponds to stationary distribution (falling down)
  - If  $\lambda_2 \approx 1$  and  $\tau_2 \gg \tau_3$  then metastability (long-living transient);  $\mathbf{v}_2$  is metastable distribution
- Permits simple but powerful computations:
  - stable/metastable distribution
  - mean first passage time (to falling)

## Animation



Case 1 : CONSTANT slope of 8°.

- monotonic step-to-step transitions

Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

<ロ> <同> <同> <同> < 同> < 同> < □> <

#### Metastability of the rimless wheel



Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

・ロト ・回ト ・ヨト ・ヨト

# Discussion

- Not just rough terrain (any noise model)
- There is no nominal limit cycle
  - Over-fitting steady-state gait analysis (optimizing energetics on the "nominal gait" may be ok, but needs to be justified)
- Provable stability (with probability 1) may be rare
- Implications for control
- More details in [Byl and Tedrake, 2008].

Byl, K. and Tedrake, R. (2008).
Metastable walking on stochastically rough terrain.
In *Robotics: Science and Systems*.

- Coleman, M. J. and Ruina, A. (2002). Motions of a rimless spoked wheel: a simple 2d systems with impacts.
- McGeer, T. (1990).

Passive dynamic walking.

International Journal of Robotics Research, 9(2):62–82.

Tedrake, R. L. (2004).

Applied Optimal Control for Dynamically Stable Legged Locomotion.

PhD thesis, Massachusetts Institute of Technology.

Russ Tedrake and Katie Byl, MIT

Metastable Rimless Wheels

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >